

<http://www.kiwi-little-things.com> Vintage Pattern



His and Her Aran Pullover with Crew or Polo Neck and Raglan Sleeves using Aotea Hi Fi, Rambler Crepe or Aran Triple Knitting Qualities.

THE GARMENTS ILLUSTRATED WERE KNITTED IN ARAN TRIPLE KNITTING.

ENTER YARN BATCH
No. HERE

Sizes:	34	36	38	40	42	44
Ozs:	24	26	28	29	30	32

Allow 1 oz extra for Polo Neck Style.

MATERIALS: Aotea Triple Knitting Yarn. One pair each Nos. 6 and 8 knitting pins. One pair No. 7 pins Polo Neck Style Only. Cable needle.

MEASUREMENTS: To fit sizes 34 (36: 38: 40: 42: 44) inch chest or bust loosely. Length of centre back from below neckband: 24 (25: 26: 27: 27½: 27½) ins. Sleeve seam: 16½ (17: 18: 18½: 19: 19½) ins.

TENSION: The same tension that will produce 4½ sts and 5½ rows over stst on No. 6 pins or any size pins which will give tension stated.

ABBREVIATIONS: K, knit; p, purl; sts, stitches; tog, together; rep, repeat; inc, increase; dec, decrease; beg, begins(ing); cont, continue(s)(ing); rem, remains (ing); ins, inches; alt, alternate; ptn, pattern; fin, finish(es)(ing); fol, follows(ing); meas, measures(ed); tbs, through back of stitches; stst, stocking stitch (right side k, wrong side p); rev stst, reversed stocking stitch (right side p, wrong side k); R.S., right side; W.S., wrong side; Tw 2 B, twist 2 back thus:—Take right hand pin to back of work and k into the back of the 2nd st on left hand pin, then k into the front of the first st and let both loops fall off left hand pin together; Tw 2 F, twist 2 front thus:—K the 2nd st on left hand pin, then k the first st and let both loops fall off left hand pin together; C 4 B, cable 4 back thus:—Slip next 2 sts on to cable needle and leave at back of work, k 2, then k the 2 sts from cable needle; C 4 F, cable 4 front thus:—Slip next 2 sts on to cable needle and leave at front of work, k 2, then k the 2 sts from cable needle; C 6 B, cable 6 back thus:—Slip next 3 sts on to cable needle and leave at back of work, k 3, then k the 3 sts from cable needle; C 6 F, cable 6 front thus:—Slip next 3 sts on to cable needle and leave at front of work, k 3, then k the 3 st from cable needle.

IMPORTANT: Please check your tension before starting this garment by knitting a sample at least 2 inches square. If you obtain more stitches per inch than specified, change to larger pins. If less, use smaller pins.

BACK With No. 8 pins cast on 83 (87: 93: 97: 103: 107) sts and work in rib as fol:

1st row: K 1, * p 1, k 1, rep from * to end.

2nd row: P 1, * k 1, p 1, rep from * to end.

Rep these 2 rows until 13 rows in all have been worked, thus fin with a first row.

Next row: Inc into the first st, rib 7 (9: 11: 13: 15: 17) sts, inc 29 sts evenly across next 67 (67: 69: 69: 71: 71) sts, rib to last st, inc into last st. 114 (118: 124: 128: 134: 138) sts.

Change to No. 6 pins and work in ptn as fol:

1st row: P 9 (11: 13: 15: 17: 19) sts, * k 6, p 3, (Tw 2 F, Tw 2 B) 3 times, p 3, k 6, * p 2 (2: 3: 3: 4: 4) sts, (C 4

B, C 4 F) 4 times; p 2 (2: 3: 3: 4: 4) sts, rep from * to * once, p to end.

2nd and all alt rows: K 9 (11: 13: 15: 17: 19) sts, * p 6, k 3, p 12, k 3, p 6, * k 2 (2: 3: 3: 4: 4) sts, p 32, k 2 (2: 3: 3: 4: 4) sts, rep from * to * once, k to end.

3rd row: P 9 (11: 13: 15: 17: 19) sts, * C 6 F, p 3, (Tw 2 B, Tw 2 F), 3 times, p 3, C 6 B, * p 2 (2: 3: 3: 4: 4) sts, k 32, p 2 (2: 3: 3: 4: 4) sts, rep from * to * once, p to end.

5th row: P 9 (11: 13: 15: 17: 19) sts, * k 6, p 3, (Tw 2 F, Tw 2 B) 3 times, p 3, k 6, * p 2 (2: 3: 3: 4: 4) sts, (C 4 F, C 4 B) 4 times, p 2 (2: 3: 3: 4: 4) sts, rep from * to * once, p to end.

7th row: P 9 (11: 13: 15: 17: 19) sts, * k 6, p 3, (Tw 2 B, Tw 2 F) 3 times, p 3, k 6, * p 2 (2: 3: 3: 4: 4) sts, k 32, p 2 (2: 3: 3: 4: 4) sts, rep from * to * once, p to end.

8th row: As 2nd row.

Rep these 8 rows until work meas 15 (15½: 16: 16½: 16½: 16½) ins or desired length, fin with a W.S. row.

Shape Raglan Armholes: Cast off 4 (5: 5: 6: 6: 7) sts at beg next 2 rows. Dec one st at each end of the next 18 rows. Dec one st at each end of the next and every fol alt row until 36 (36: 38: 38: 40: 40) sts rem. Work 0 (1: 0: 1: 0: 1) rows after last dec. Cast off for back neck.

FRONT Work as Back until 56 (58: 60: 62: 64: 66) sts rem, fin with a W.S. row.

Shape Neck:

Next row: K 2 tog, ptn until 34 (35: 36: 37: 38: 39) sts rem, cast off next 12 sts, ptn until 2 sts rem, k 2 tog.

Cont on last set of sts leaving sts on other side until required. Cont dec at armhole edge on alt rows as before but AT THE SAME TIME dec one st at neck edge on next 5 (5: 6: 6: 7: 7) rows, then at same edge on fol 6 alt rows. Now keeping neck edge straight, cont dec at armhole edge on alt rows until all sts have been worked off.

Return to sts left on other side. Rejoin wl at neck edge and work to match completed side, all shapings reversed.

SLEEVES (both alike): With No. 8 pins cast on 41 (41: 43: 43: 45: 45) sts and work in rib as back band for 14 rows, inc one st at each end and 13 sts evenly across last row. 56 (56: 58: 58: 60: 60) sts. Change to No. 6 pins and work in ptn as fol:

1st row: P 1 (1: 2: 2: 3: 3) sts, (Tw 2 F, Tw 2 B) 3 times, p 3, k 6, p 2, C 4 B, C 4 F, p 2, k 6, p 3, (Tw 2 F, Tw 2 B) 3 times, p to end.

2nd row: K 1 (1: 2: 2: 3: 3) sts, p 12, k 3, p 6, k 2, p 8, k 2, p 6, k 3, p 12, k to end.

3rd row: P 1 (1: 2: 2: 3: 3) sts, (Tw 2 B, Tw 2 F) 3 times, p 3, C 6 B, p 2, k 8, p 2, C 6 F, p 3, (Tw 2 B, Tw 2 F) 3 times, p to end.

4th row: As 2nd row.

5th row: Inc into the first st, p 0 (0: 1: 1: 2: 2) sts, (Tw 2 F, Tw 2 B) 3 times, p 3, k 6, p 2, C 4 F, C 4 B, p 2, k 6, p 3, (Tw 2 F, Tw 2 B) 3 times, p 0 (0: 1: 1: 2: 2) sts, inc into last st.

6th row: P 0 (0: 0: 0: 1: 1) st, k 2 (2: 3: 3: 3: 3) sts, p 12, k 3, p 6, k 2, p 8, k 2, p 6, k 3, p 12, k 2 (2: 3: 3: 3: 3) sts, p 0 (0: 0: 0: 1: 1) sts.

7th row: K 0 (0: 0: 0: 1: 1) st, p 2 (2: 3: 3: 3: 3) sts, (Tw 2 B, Tw 2 F) 3 times, p 3, k 6, p 2, k 8, p 2, k 6, p 3, (Tw 2 B, Tw 2 F) 3 times, p 2 (2: 3: 3: 3: 3) sts, k 0 (0: 0: 0: 1: 1) sts.

8th row: As 6th row.

Now cont as established, repeating last 8 rows as on back, inc one st at each end of every 6th row until there are 80 (82: 82: 84: 84: 86) sts, working extra sts into side cable ptn as back and then into rev stst. Cont straight until sleeve meas 16½ (17: 18: 18½: 19: 19½) ins or desired length, fin with a W.S. row.

Shape Raglan Top: Keeping continuity of ptn throughout, cast off 3 (4: 4: 5: 5: 6) sts at beg next 2 rows.

For Sizes 34 (36: 38: 40) ins Only:

Dec one st at each end of the next 10 (8: 4: 2) rows.

For Sizes 42 (44) ins Only:

Dec one st at each end of the next row then work 3 rows without shaping. Rep last 4 rows 0 (1) more time.

Now for ALL SIZES dec one st at each end of the next and every fol alt row until 12 sts rem. Work 0 (1: 0: 1: 0: 1) row after last dec. Cast off.


NECKBANDS Join raglan seams, leaving left back seam open. With No. 8 pins and R.S. facing pick up and k

77 (79: 81: 83: 85: 87) sts evenly around neck.

Crew Neck: Work in k 1, p 1 rib (beg first row p 1) for 8 rows. Cast off LOOSELY ribwise.


Polo Neck: Work in k 1, p 1 rib (beg first row k 1) for 2½ ins. Change to No. 7 pins and work a further 2½ ins rib. Cast off VERY LOOSELY ribwise.

TO MAKE UP Press rev stst parts with a warm iron over a damp cloth. Join rem raglan seam and seam of neckband. Join side and sleeve seams. Press all seams.



AOTEA LEAFLET No. 7213.

Aotea Double Knitting Qualities. 6 sizes: 32-42 Bust. Short or Long Sleeved V or Crew Neck Pullover.



AOTEA LEAFLET No. 7217.

Aotea 4-Ply Qualities. 32-36 Bust. Crochet Frock in Fan Pattern.



Produced for the Roslyn Mills (a division of Mosgiel Woollens Ltd.) by and copyright to Llama Productions Ltd., Box 1172, Dunedin. Printed offset by Otago Daily Times

