http://www.kiwi-little-things.com Vintage Pattern



To obtain a perfect reproduction of the garments illustrated on the front cover of this leadet, please read the instructions in the paragraphs headed Tension and Materials. If these are followed carefully. satisfactory results cannot fail to be achieved.

Jacket and Hat

Model No. 354

MATERIALS

Bust size

32 34 36 38 ins

Wool required Fontana DRIFT Triple Knit 15 16 18 20 ozs 2 2 2 2 ozs Cardigan Beret 2 ozs 1 pair each Nos 6 and 8 Fontana knitting needles. 7 Beutron buttons.

MEASUREMENTS

 $23 \quad 23\frac{1}{2} \quad 24 \quad ins$ Length 17 17 17 $17\frac{1}{2}$ ins Sleeve seam

TENSION

 $4\frac{1}{2}$ sts to 1 inch using No 6 needles.

This paragraph is most important—read it carefully before commencing your garment.

You have obtained the correct FONTANA WOOL, you have obtained the correct needles, but TO OBTAIN THE CORRECT MEASUREMENTS it is essential that you work to the tension stated. The rule on the opposite page is for your convenience and guidance. PLEASE USE IT. We suggest you work a small sample in this stitch before commencing the garment, then place the rule across it and see if your tension corresponds. If you are unable to obtain the correct tension, proceed as follows: If you have less stitches than the number stated use a finer needle. If you have more stitches than the number stated use a coarses needle.

ABBREVIATIONS

Alt, alternate; beg, beginning; cont, continues(ing); dec, decrease; foll, following; garter st, every row k; inc, increase; ins, inches; k, knit; psso, pass slipped stitch over; p, purl; rem, remains(ing); rep, repeat; rsf, right side facing; sl, slip; sts, stitches; stst, stocking stitch; tbs, through back of stitch; tog, together; wsf, wrong side facing.

THE CARDIGAN

BACK

Using No 8 needles, cast on 74 78 84 88 sts and work 8 rows in k 1, p 1 rib.

LEAFLET 1075

Change to No 6 needles and cont in stst until work measures 15 ins, or length required to raglan armholes, ending with a p row.

Shape Raglan Armholes:

Cast off 3 4 4 4 sts at beg of the next 2 rows, then cont as

1st row: K 2, k 2 tog tbs, k until 4 sts rem, k 2 tog, k 2.

2nd row: P.

Cont to rep these 2 rows until
20 22 24 26

rem. Cast off.

LEFT FRONT

Using No 8 needles, cast on

38 40 42 44 sts

and work 8 rows in k 1, p 1 rib. Change to No 6 needles and cont in stst until work measures same as for back to armholes, ending with a p row.

Shape Armhole:

at beg of the next row, k to end. P next row. Cont as follows:-

1st row: K 2, k 2 tog tbs, k to end. 2nd row: P.

Cont to rep these 2 rows until 16 17 17 18 sts rem, ending with a 1st row.

Shape Neck:

Cast off 5 5 5 at beg of row, p to end. Still dec at armhole edge on every right side row as before, dec 1 st at neck edge on every 5 4 4 row until rem, then cont to dec at armhole edge only until 2 sts rem. Work 2 tog and fasten off.

RIGHT FRONT

Work exactly as given for left front until piece measures same as for back to armholes, ending with a k row.

Shape Raglan Armhole:

Cast off 3 4 4 4 sts at beg of row, p to end. Cont as foll:—

1st row: K until 4 sts rem, k 2 tog. k 2.

2nd row: P.

Cont to rep these 2 rows until

16 17 17 18 sts rem. ending with a p row.

Shape Neck:

Next row: Cast off 5 5 5 at neck edge, k until 4 sts rem, k 2 tog,

Still dec at armhole edge on every k row as before, dec 1 st at neck edge on every row until 4 sts rem, then cont to dec at armhole edge only until 2 sts rem. Work 2 tog and fasten off.

SLEEVES

Using No 8 needles, cast on 40 42 44 and work $2\frac{1}{2}$ ins in k 1, p 1 rib. 46 sts

Change to No 6 needles and cont in stst, inc 1 st at both ends of the 3rd and every foll 6th row until there are

62 64 68 70 sts on the needle. Cont without further shaping until sleeve measures

17 17 17 17½ ins or length required, ending with a p row.

Shape Top:

Cast off 3 4 4 4 sts at beg of the next 2 rows, then cont as follows:-

1st row: K 2, k 2 tog tbs, k until 4 sts rem, k 2 tog, k 2.

2nd row: P.

Cont to rep these 2 rows until 8 sts rem. Cast off.

FRONT BORDERS

(Left Front Border):

Using No 8 needles, cast on 10 sts and work in k 1, p 1 rib until border is long enough (slightly stretched) to fit along left front edge to neck. Cast off. Join border very neatly to left front edge.

(Right Front Border):

First mark the position of 7 buttons on the left front edge with pins. Arrange these so that the first one comes $\frac{1}{2}$ inch from lower edge and the last one just before neck edge. The rest to come at evenly spaced intervals between. Work buttonholes on the right front border to correspond with pins thus:—Rib 4, cast off 2, rib to end. On the foll row cast on 2 sts to replace those cast off. Work

the right front border exactly as given for left front, making buttonholes to correspond with pins as given. Join border very neatly to right front edge.

COLLAR

Using No 6 needles, cast on 115 117 119 123 sts and work 6 rows in k 1, p 1 rib, beg and ending 1st row with k 1.

Next row: Cast off 24 sts loosely rib wise, k until 24 sts rem, cast off rem 24 sts loosely ribwise.

Rejoin wool to rem

67 69 71 75 sts and work in stst (next row p) for 3 ins. Cast off. Sew cast off edges of ribbing neatly to sides of collar, easing at corners to fit,

MAKE UP

Press work with a warm iron over a damp cloth. Sew raglan sleeves neatly into armholes, then join side and sleeve seams. Sew collar to neck, leaving \frac{1}{2} inch on either side of front borders free. Press seams. Sew on buttons.

THE BERET

Using No 8 needles, cast on 92 sts and work 6 rows in k 1, p 1 rib.

Change to No 6 needles and work as follows:

Next row: K 2, * k twice into next st, k 2; rep from * to end. (122 sts).

Next row: P.

Work 28 more rows in stst, ending with a p row.

Next row: K 1, then k 2 tog all along row to last st, k 1.
P 1 row, k 1 row and p 1 row.

Next row: K 1, then k 2 tog all along row to last st, k 1.

P 1 row, k 1 row and p 1 row.

Next row: K 1, then k 2 tog all along row to last st, k 1.

Next row: P

Next row: K 1, then k 2 tog all along row. (9 sts).

Break wool, thread through rem sts and fasten off securely. Join back seam very neatly. Press END

All designs are copyright and reproduction in whole or part, without permission from the publishers; is forbidden.

A FORTAINA CREATION

A PRODUCT OF ALLIANCE TEXTILES (N.Z.) LTD., OAMARU