

<http://www.kiwi-little-things.com> Vintage Pattern

NEIL GOODMAN LIMITED

Leaflet No.
650

Shepherd

Double
Knitting

Price: 10 cents



CHILDRENS "V" OR CREW NECK SWEATERS

MATERIALS: *Shepherd* Natural Double Knitting or *Shepherd* Shetland Lambswool. 10 (12:13:14:15) ounces

Directions for larger sizes are given in brackets. Where only one set of figures is given, this applies to all sizes.

Pair needles each Nos. 7 and 10. Four double pointed No. 10 needles. Cable needle.

MEASUREMENTS: To fit sizes 24 (26:28:30:32) inch chest. Actual measurement 26 (28½:30½:33:35) inches. Centre Back Length 15¾ (17¼:18¾:20¼:21¾) inches. Sleeve seam 11½ (12½:14:15:16) inches or required length.

TENSION: 5 sts=1 inch in width measured over Double Moss st, on No. 7 needles. It is important to work to this tension to obtain the required measurements.

ABBREVIATIONS: K=knit; p=purl; k1b=knit into back of next stitch; st(s)=stitch(es); rep=repeat; beg=beginning; tog=together; dec=decrease; inc=increase; sl=slip; tbl=through back of loops; pss0=pass slipped stitch over.

T5F=Slip next 2 sts on to cable needle and leave at front of work, k2, p1 from left hand needle, then k2 from cable needle.

T3B=Slip next st on to cable needle and leave at back of work, k2 sts from left hand needle, then p st from cable needle.

T3F=Slip next 2 sts on to cable needle and leave at front of work, p next st from left hand needle, then k2 sts from cable needle.

C3B=Slip next 2 sts on to cable needle and leave at back of work, k1 st from left hand needle, then k2 from cable needle.

C3F=Slip next st on to cable needle and leave at front of work, k2 sts from left hand needle, then k1 st from cable needle.

Panels of **Triple Cable**, **Crossed V stitch** and **Single Honeycomb Stitch** are used in this pattern with **Double Moss stitch** borders. These stitches are worked as follows:-

TRIPLE CABLE (TC7) Worked over 7 sts

1st row: P1, slip next 3 sts onto cable needle and leave at front of work, k1B, p1, from left hand needle, then k1B, p1, k1B across sts from cable needle, p1.

2nd row: K1, [p1, k1] 3 times. **3rd row:** P1 [k1B, p1] 3 times. Repeat the last 2 rows 4 times more. **12th row:** As 2nd row.

Repeat these 12 rows for TC7.

CROSSED V STITCH (CV15) Worked over 15 sts.

1st row: P5, T5F, p5. **2nd row:** K5, p2, k1, p2, k5. **3rd row:** P4, T3B, k1, T3F, p4. **4th row:** K4, p2, k1, p1, k1, p2, k4. **5th row:** P3, T3B, k1, p1, k1, T3F, p3. **6th row:** K3, p2, [k1, p1] twice, k1, p2, k3. **7th row:** P2, T3B, [k1, p1] twice, k1, T5F, p2. **8th row:** K2, p2 [k1, p1] 3 times, k1, p2, k2. **9th row:** P1, T3B,

[k1, p1] 3 times, k1, T3F, p1. **10th row:** K1, p2 [k1, p1] 4 times, k1, p2, k1. **11th row:** T3B, [k1, p1] 4 times, k1, T3F. **12th row:** P2, [k1, p1] 5 times, k1, p2. Repeat these 12 rows for CV15.

SINGLE HONEYCOMB STITCH, H18(18:24:24:30) Worked over 18 (18:24:24:30) stitches.

1st row: [C3B, C3F] 3 (3:4:4:5) times. **2nd row:** P18(18:24:24:30). **3rd row:** [C3F, C3B] 3 (3:4:4:5) times. **4th row:** P18 (18:24:24:30).

Repeat these four rows for H18(18:24:24:30).

DOUBLE MOSS STITCH (DMS) Worked over an even number of stitches.

1st and 2nd rows: * P1, k1 ; rep from * across required number of sts.

3rd and 4th rows: * K1, p1 ; rep from * across required number of sts.

Repeat these 4 rows for DMS.

“V” NECK SWEATER

BACK

With No. 10 needles cast on 76 (84:88:96:102) sts. Work 11 rows in k1B, p1 rib. **12th row:** Rib 6 (7:3:2:5) sts, * inc in next st, rib 8(9:8:9:9) sts; rep from * to last 7 (7:4:4:7) sts, inc in next st, rib to end. 84 (92:98:106:112) sts. Change to No. 7 needles and place pattern as follows:—

1st row: DMS 4(8:8:12:12), TC7, CV15, TC7, H18 (18:24:24:30), TC7, CV15, TC7, DMS 4(8:8:12:12).

Keeping panels of Double Moss st, Triple Cable, Crossed V st, and Single Honeycomb st, correct as given at beginning of pattern continue until work measures 9 (10:11:12:13) ins, ending after a wrong side row.

Shape Raglan Armholes ** Cast off 3 (4:4:5:5) sts at beg of next 2 rows. **3rd row:** K1, k2tog tbl, pattern to last 3 sts, k2tog, k1. **4th row:** K1, p1, pattern to last 2 sts, p1, k1. *** Repeat these 2 rows until 54 (56:58:60:62) sts remain, ending after the wrong side row. **Next row:** K1, sl 1, k2tog, pssso, pattern to last 4 sts, k3tog, k1. (2 sts decreased at each side). **Next row:** As 4th row. Repeat these 2 rows until 22(24:26:28:30) sts re-

main ending after the wrong side row. Leave sts on holder.

FRONT

Work as given for Back to *** Repeat the last 2 rows once more then 3rd row again. 72(78:84:90:96) sts.

Divide for Neck: Next row: Work 35(38:41:44:47) sts, turn and complete this side first leaving remaining 37(40:43:46:49) sts on a stitch holder. Continuing to dec 1 st at raglan edge on next and alt rows as before at the same time dec 1 st at neck edge of next and every following 4th row until 21 sts remain, ending after the dec row. Now dec 2 sts at arm edge on alt rows (by k1, sl 1, k2tog pssso,) and **at the same time** dec 1 st at neck edge on following 4th rows 3 times more, ending with the wrong side row. **Next row:** K1, sl 1, k2tog, pssso, k2tog. 3 sts remain. Work 1 row. **Next row:** K1, k2tog tbl.

Next row: K2tog and fasten off. Rejoin wool to neck edge of remaining sts and p next 2 sts tog, slip this st onto a safety pin and leave for centre st. Work to end. Complete as other side reversing all shaping. (Armhole decs are worked same as for end of row on Back).

SLEEVES

With No. 10 needles cast on 36 (40:44:48:54) sts. Work 13 rows in k1B, p1 rib. **Next row:** Rib 6(8:4:6:6) sts * inc in next st, rib 7(7:6:6:7); rep from * to last 6(8:5:7:8) sts, inc in next st, rib to end. 40(44:50:54:60) sts. Change to No. 7 needles and place pattern as follows:-

1st row: DMS 4(6:6:8:8), TC7, H18(18:24:24:30), TC7, DMS 4(6:6:8:8). Keeping panels of pattern stitches correct work 3 more rows, then inc 1 st at each side on next row and every following 5th (5th:6th:6th:6th) row until there are 60(66:72:78:84) sts. Work straight until sleeve measures 11½ (12½:14:15:16) ins ending after a wrong side row.

Shape Raglan Top: Work as given for Back from ** to ***. Rep the last 2 rows until 22(22:24:24:26) sts remain. Now dec 2 sts at each side on every alt row until 6(6:8:8:10) sts remain, ending after the wrong side row. Leave sts on holder.

FINISHING AND NECKBAND

Press each piece using a warm iron and a damp cloth. Join raglan, side and sleeve seams. Starting at top of right sleeve, with right side of work facing and using set of double pointed needles, work in pattern across sts left on holders at sleeve tops and back neck decreasing 1 st at centre back, pick up and knit 34(38:42:46:50) sts down front slope, k the centre front st, and pick up and knit 34(38:42:46:50) sts up right front slope.

1st round: * P1, k1B, rep from * to 2 sts before centre st, p2tog, k1B, p2tog, * p1, k1B, rep from * to end. Keeping rib correct continue to dec 1 st each side of centre front st (which is always worked

k1B,) on next 5 rounds. **Next round:** Purl to mark fold line. **Next round:** Rib to centre st, k into front, back and front of centre st, rib to end. Rep the last round 5 times more. Cast off in rib. Turn neck band in and slip stitch in place. Press seams.

CREW NECK SWEATER

BACK AND SLEEVES

Work as given for Back and Sleeves of V-neck Sweater.

FRONT

Work as given for Back until 54 (56:58:60:62) sts remain in raglan, ending after the dec row.

Shape Neck: Next row: Work 18 sts, turn and complete this side first, leaving remaining sts on spare needle. Continue to dec 1 st at raglan edge on alt rows as before and **at the same time** dec 1 st at neck edge of next 3 rows, then every alt row until 3 sts remain. Work 1 row. Work 3 tog and fasten off. Slip centre 18(20:22:24:26) sts on to stitch holder. Rejoin yarn to remaining stitches and work to end. Complete to match first side reversing shaping.

FINISHING AND NECKBAND

Press each piece using warm iron and damp cloth. Join raglan, side and sleeve seams. Starting at right sleeve top with right side of work facing, and using set of double pointed needles, work in pattern across sts on holders at sleeve tops and back neck, pick up and k 15 sts down left neck slope, work in pattern across sts on holder at front and pick up and k 15 sts up slope. Work 6 rounds in k1B, p1 rib. Purl 1 round for fold line. Work 6 more round in rib then cast off **loosely** in rib. Turn neckband in and slip stitch **loosely** in place. Press seams.